TESTOSTERONE (CAS number- 58-22-0)

TAJMTF-LMAERY8972

Taj Active Pharmaceuticals Ingredients

www.tajapi.com

Active Pharmaceutical Ingredients TAJ PHARMACEUTICALS LIMITED NOIA




ACTIVE PHARMACEUTICAL IN G R E D I E N T S
Raw Material / Chemicals Index

Taj Pharmaceuticals Ltd.

TESTOSTERONE

(Cas No 58-22-0)





Product name Testosterone

CAS number 58-22-0

Chemical Name (17b)-17-Hydroxyandrost-4-en-3-one

Biological Activity Endogenous androgen receptor agonist.

Physical Appearance: White crystalline solid

Technical Data:

M.Wt: 288.42

Formula: C19H28O2

Soluble to 100 mM in DMSO and to 25 mM in ethanol

Purity: >98 %

Storage: Store at RT

Analytical Data Optical Rotation: [a]D = +109.9 (Concentration = 1, Solvent = Ethanol)

Handling And Storage

Use in a chemical fume hood, with air supplied by an independent system. Avoid inhalation, contact with eyes, skin and clothing. Avoid prolonged or repeated exposure.

Material should be stored in a tightly sealed container under the storage condition stated on the Product Information sheet and on the vial label.

Stability And Reactivity

Stability: Stable under normal handling conditions. Conditions to avoid: Not applicable for this product Hazardous Combustion/Decomposition of Product: May emit toxic gases such as carbon dioxide, carbon monoxide and nitrogen oxide upon thermal decomposition.

Hazards Identification

RTECS substance category: Tumorigen; Drug; Mutagen; Reproductive Effector; Hormone Exposure may cause irritation to eyes, mucous membranes, upper respiratory tract and skin. Exposure may also cause the following: spermatogenesis, specific developmental abnormalities, physical effects on newborns, abortion, effects on fertility, tumorigenic effects, endocrine changes. Effect fertility and/or newborn and breastfed infants.

Toxicological Information

To the best of our knowledge, the chemical, physical and toxicological properties have not been fully investigated.

RTECS No: XA3030000

Target Organs: Eyes; Respiratory system; Skin; Reproductive system;

Endocrine system.

Toxicity Data: IPR-RAT LDLo: 326mg/kg; ORL-MAM LD50: >5gm/kg.

Limited evidence has been reported to suggest this

product is carcinogenic

Only selected Registry of Toxic Effects of Chemical Substances (RTECS) data is presented above. See actual entry in RTECS for complete information.

Regulatory Information

Classification: Toxic. May be harmful or fatal if inhaled, swallowed or absorbed through skin

Safety Phrases: S22 - Do not breathe dust

S24/25 - Avoid contact with skin and eyes

S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection

S45 - In case of accident or if you feel unwell, seek

medical advice immediately (show the label where possible) S53 - Avoid exposure - obtain special instruction before use

Risk Phrases: R40 - Limited evidence of a carcinogenic effect

R60 - May impair fertility

R61 - May cause harm to the unborn child R68 - Possible risk of irreversible effects

Exposure Controls/Personal Protection

Wear appropriate chemical resistant gloves, safety goggles and other protective clothing to prevent contact with eyes and skin. Laboratory should be equipped with a safety shower and eye wash station. Avoid prolonged or repeated exposure. Do not breathe dust. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling.

First-Aid Measures

In cases of SKIN CONTACT: Wash with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes and wash before wearing. In case of eye contact, flush with copious amounts of water for at

least 15 minutes. In cases of INHALATION: Remove to fresh air and monitor breathing. If breathing becomes difficult, give oxygen. If breathing stops, give artificial respiration. In cases of INGESTION: If swallowed, rinse mouth out with water, contact local poison centre and call a physician.

FIRE-FIGHTING MEASURES

Extinguishing Media: Material is non-combustible. Use extinguishing media appropriate to surrounding fire conditions. Unusual Fire and Explosive Hazards: May emit toxic gases upon thermal decomposition. Special Fire-Fighting Procedures: Wear protective clothing to prevent contact with skin and eyes.

Accidental Release Measures

Wear appropriate protective clothing. Cover spillage with suitable absorbent material. Using non-spark tools, sweep up material and place in an appropriate container. Decontaminate spill site with with 10% caustic solution and ventilate area until after disposal is complete. Hold all material for appropriate disposal as described under DISPOSAL CONDITIONS.

Ecological Information

Data not yet available - treat as potentially toxic if released into the environment.

Disposal Conditions

As specific country, federal, state and local environmental regulations are varied and change frequently, we recommend that you contact your local department for Health Services for information on the correct disposal of this product.

Transport Information

U.N.Number:

Proper Shipping Name:

IATA Class:

IATA Packing Group:

Other Information

Due to the nature of this material. It must only be handled by suitably qualified experienced scientists in appropriately equipped and authorized facilities. The above information is believed to be correct but does not purport to be all inclusive and should be used as a guide only for experienced personnel. Always consult your safety advisor and follow appropriate local and national safety legislature. The absence of warning must not, under any circumstance, be taken to mean that no hazard exists.

Solubility & Useage Info:

DMSO to 100 mM ethanol to 25 mM

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20° C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

We have experience in <u>Exporting and Manufacturing</u> of all <u>Countries and Overseas medicines</u> in quick reliable manner and we are very interested to start collaboration with your company or organisation!



2004 - 2010 Taj Pharmaceuticals Limited. All rights reserved

Note:-We are committed to helping you find the right answers to your questions and concerns. However, this web site is not intended to give investment advice, promote the use of Taj Pharmaceuticals Ltd products or provide information on

which to base medical treatment. If you have questions regarding any Taj Pharmaceuticals Ltd product or are experiencing a medical emergency, please consult your health care provider. Active Pharmaceutical Ingredients manufacturer, exporter, drug ingredients, pharmaceuticals, India Additionally, contact information on this web site cannot be used to report adverse drug events. If you are a physician, please follow the procedures required by your country's regulations. Please choose one of the given options to contact us and we will respond to